

Mallia™

WOW
MORE
CHOICES
NOW

Express Yourself Like Never Before

 legrand®

SPOILT FOR CHOICE

Mixing colours is a breeze with Mallia™. With new rocker colours added to the range, there are now even more exciting possibilities.



WOW A visual treat / 4 /

MORE An enduring form / 8 /

CHOICES For every purpose / 10 /

NOW An easy fix / 16 /

SHOP Catalogue pages / 18 /





Designed to Impress

How about introducing an extra oomph to your house?

The two new Mallia rocker colours, Matt Black and Champagne, are designed for just that purpose.



Matt Black with
Silver rocker



Copper with
Matt Black rocker



Champagne with
Pearl rocker



Bronze with
Champagne rocker



A Style that Never Gets Dated

When the conventional White, graceful light Silver, classy Pearl and cool Dark Silver meet the mysterious Matt Black and chic Champagne, you will get alluring elegance and uncompromising simplicity – like always.




Champagne



Matt Black



Silver



Pearl



White



Dark Silver




Matt Black

Smooth to the touch and complete with a sleek profile, the Matt Black series is unquestionably a stunning addition to any modern home.



An Enduring Form

Each curve and detail of Mallia™ exudes uniqueness.



Colour and finish converge into a pristine whole.



Slim profile to fit every space and design.





Champagne

Absolute elegance, enhanced by a dignified and enduring style, the timeless Champagne series promises to introduce a touch of sophistication to your beautiful home.

Metal

Two different textures to provide a distinctive touch, the Brushed and Polished Stainless Steel series are among the most versatile in the Mallia™ range.



Brushed Stainless Steel



Polished Stainless Steel

MORE

Full Colour

Introducing the new additions to the Mallia™ family – Matt Black and Champagne. While Matt Black exudes an air of mystery, Champagne embodies familiarity and finesse. Together, they inspire your creativity.



Mix and Match

Let the spectrum of Mallia™ colours delight your visual senses. Whether you are in the mood to pack in some colours and spice things up or keep it pure and simple for a touch of authenticity, Mallia™ presents you with the freedom to go with full colour or mix and match – it's your call.





Brushed Stainless Steel
with Silver rocker



White



Lacquered Black with
Dark Silver rocker



Dark Silver



Pearl



Gold with Champagne
rocker



Silver



Copper with Pearl rocker



Bronze with
Champagne rocker



Champagne with
Dark Silver rocker



Polished Stainless Steel
with Matt Black rocker



Silver with
Dark Silver rocker



CHOICES



The Universal Dimmer

We promise you will love the Mallia™ Universal Dimmers. This is one device that does it all – dim and control dimmable LEDs and CFL, halogen or incandescent lamps. Enabling you to harness the full energy efficiency potential of modern loads is our way of reciprocating your loyalty.



LED



CFL



Halogen



Incandescent





The Multi-standard Socket

Powering international appliances is made easy with the Mallia™ multi-standard socket. Suitable for every type of plug found around the world, it is the perfect complement for any environment hosting global visitors.





1 gang BS 13 A socket with USB charger 2.4 A - 5 V_{DC} - 12 W.
Consumption in passive mode < 0.08 W

Power-up Two Ways with One Socket

Charging your mobile devices does not have to come at the expense of powering up your other appliances. With Mallia™ BS 13 A socket with USB charger, you can charge up your mobile devices while your appliances run as usual.



1 gang switched socket



1 gang unswitched socket



1 gang switched socket





2 gang BS 13 A socket with Type-A and Type-C™ USB chargers 3 A - 5 V_{DC} - 15 W.
Consumption in passive mode < 0.08 W

Good Things Come in Pairs

We know staying powered up at all times is essential to modern lifestyles. That is why, regardless whether your devices are conventional, modern or cutting-edge, we make sure you can plug in to our Mallia™ BS 13A socket with Type-A and Type-C™ charging ports.

Even more versatile than before

No matter what modern lifestyle demands you may have, you are well covered with Mallia™. Every care has been taken to make Mallia™ friendlier and more synchronised with your modern lifestyle, so you can be certain that Mallia™'s form always complements the function and you get a complete experience.



1 to 3 gang transparent rockers consist of 3 layers: rocker, blank label and transparent cover.



Full surface blank label holders allow you to display customised pictures, wallpapers and easy-to-read indicator labels!





3-gang switch



4-gang switch



Rotary dimmer



Automatic switch



Telephone socket



FM-TV socket



Fan speed control



BS socket outlet



Indicator for Do not disturb /
Clean up and bell push-button



Data socket



Multistandard switched socket outlets



N W




Not only does Mallia™ offer form and function, we also take care to ensure that the installation process is effortless.



The resilient and flexible material used for the plates makes them easy to mount on uneven surfaces.




Slim mechanism design leaves room for greater wiring space in the box.



Mallia™ plates and gang units are interchangeable and easy to install. Simply wire the gang units and clip on the colour plates that suit your designs best.



The safety mark label proves conformity to BS standards. Insulated frame - designed with safety in mind.



Top access screws for connecting the wires make installation a piece of cake.

SHOP

There's no better test for our relationship than to make a durable commitment. Let's take the next step together. Start shopping.



Mallia™

single pole switches - complete white



2 810 00



2 810 04



2 810 10



2 810 16

Conform to BS EN 60669-1
Polycarbonate front cover plates with a matt finish
Compact mechanism for greater wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
10	2 810 00	1 gang - 1-way switch ○ White
10	2 810 01	1 gang - 2-way switch ○ White
4	2 810 08	1 gang - intermediate switch ○ White
10	2 810 02	2 gang - 1-way switch ○ White
10	2 810 03	2 gang - 2-way switch ○ White
10	2 810 04	3 gang - 1-way switch ○ White
10	2 810 05	3 gang - 2-way switch ○ White
10	2 810 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
		Transparent phosphorescent lens To be equipped with green or red LED according to the need: indicator or locator (p. 35) The LED is not supplied
10	2 810 10	1 gang - 1-way switch ○ White
10	2 810 11	1 gang - 2-way switch ○ White
4	2 810 09	1 gang - intermediate switch ○ White
10	2 810 12	2 gang - 1-way switch ○ White
10	2 810 13	2 gang - 2-way switch ○ White
10	2 810 14	3 gang - 1-way switch ○ White
10	2 810 15	3 gang - 2-way switch ○ White
10	2 810 16	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 17	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White



2 810 50



2 810 53



2 810 62



2 810 72

Conform to BS EN 60669-1
Polycarbonate front cover plates with a matt finish
Compact mechanism for greater wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
10	2 810 50	1 gang - 1-way switch ○ White
10	2 810 51	1 gang - 2-way switch ○ White
4	2 810 69	1 gang - intermediate switch ○ White
10	2 810 52	2 gang - 1-way switch ○ White
10	2 810 53	2 gang - 2-way switch ○ White
10	2 810 54	3 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 55	3 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
10	2 810 60	Equipped with earth link connector 1 gang - 1-way ○ White
10	2 810 61	1 gang - 1-way with LED power indicator ○ White
10	2 810 62	1 gang - 1-way with LED power indicator and "WATER HEATER" marking ○ White

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
10	2 810 65	Equipped with earth link connector 2 gang - 1-way with LED power indicator ○ White
10	2 810 66	1 gang - 1-way with LED power indicator and cable outlet ○ White
10	2 810 68	1 gang - 2-way with "WATER HEATER" marking ○ White

Pack	Cat.Nos	Double pole switches 45 A - 250 V~
10	2 810 71	1 gang - 1-way with red indicator ○ White
10	2 810 72	1 gang - 1-way with red indicator and cooker marking ○ White
5	2 810 73	2 gang - 1-way vertical switch with red indicator Dim.: 86 x 146 mm ○ White

Mallia™

push-buttons, dimmers, automatic switches and other lighting functions - complete white



2 810 40



2 810 84




2 810 91



2 810 75

Polycarbonate front cover plates with a matt finish. Compact mechanism for greater wiring space. Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate. Dim.: 86 x 86 mm

Pack Cat.Nos Push-buttons 10 A - 250 V~

10	2 810 41	Conform to BS EN 60669-1 N/O contact (push to make) ○ White
10	2 810 40	N/O contact with bell symbol ○ White
1	NEW FUNCTION 2 810 86	RLC + LED dimmer Rotary dimmer without neutral Conform to BS EN 60669-2-1 100-240 V~ for all types of dimmable lamps: - dimmable LED: 5 to 75 W (10 lamps max.) - dimmable compact fluorescent lamps: 5 to 75 W (10 lamps max.) - fluorescent tube with ballast: 5 to 300 VA - halogen and incandescent: 5 to 300 W - electronic or ferromagnetic transformers: 5 to 300 VA When switched on, gradually (2 seconds) lights up at the level set before last switch off
1	0 401 49	Active compensator  Allows to ensure compatibility of 2-wire electronic lighting controls without neutral with all available types of loads (LEDs, compact fluorescent lamps, ELV halogen lamps with electronic or conventional ballast, 230 V halogen lamps, fluorescent tubes, incandescent lamps) Consumption: 0.4 W
1	2 810 80	Leading edge dimmers Conform to BS EN 60669-2-1 Rotary control dimmer 60-500 W for incandescent and halogen lamps 230 V~ 60-500 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39 ○ White
1	2 810 84	Rotary control dimmer + switch 60-500 W for incandescent and halogen lamps 230 V~ 60-200 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39 ○ White
1	2 810 85	Rotary dimmer 60-1000 W (230 V) 60-500 W (127 V) for incandescent and halogen lamps 60-600 VA (230 V) 60-300 VA (127 V) for halogen lamps with electronic transformer with leading edge behaviour 60-1000 VA (230 V) 60-500 W (127 V) for halogen lamps with ferromagnetic transformers ○ White

Pack Cat.Nos Programmable switch

1	2 810 92	Conform to BS EN 60669-2-1 Power supply: 230 VA - 50/60 Hz Maximum load: 2300 W Weekly programme Capacity: max. 28 programmes Output: 1 changeover contact ○ White
1	2 810 91	Time delay switch Conform to BS EN 60669-2-1 Adjustable time from 5 min to 12 h Maximum load: 500 W incandescent and halogen lamps 230 V~ 250 W fluorescent lamps without capacitor ○ White
1	2 810 81	Fan speed controls Conform to BS EN 60669-2-1 400 VA rotary fan control ○ White
1	2 810 82	5-speed fan control 100 W for fan with overall diameter 48" ○ White
5	2 810 75	Cooker control unit 45 A - 250 V~ Conform to BS 4177 45 A DP switch + 13 A switched socket outlet with red indicator Dim.: 146 x 86 mm ○ White
1	2 810 90	Automatic switch Conform to BS EN 60669-2-1 IR movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1614 lux Temporization: 20 s - 15 min Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V~ ○ White



Polycarbonate front cover plates with a matt finish. Compact mechanism for greater wiring space
Supplied with 2 screws M 3.5 for BS boxes. Supplied complete with plate. Dim.: 86 x 86 mm

Pack	Cat.Nos	Telephone sockets	Pack	Cat.Nos	Television sockets
5	2 811 60	RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ○ White 	5	2 811 57	For DVBT and satellite installation (with individual demodulator) DVBT HDTV compatible TV: male connector (Ø9.5 mm) R: female connector (Ø9.5 mm) SAT: "F" type connector Recommended coaxial cable: 17 VATC TV-R-SAT socket TV: 5-68/120 - 862 MHz R: 87.5-108 MHz SAT: 950-2400 MHz Star low attenuation 1.5 dB 
5	2 811 63	Double RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ○ White 	5	2 811 53	TV-R socket TV: 5-68/120 - 862 MHz R: 87.5-108 MHz Star 1.5 dB ○ White 
5	2 811 68	BS master telephone sockets ○ White 	10	2 811 51	TV socket TV: 0-2400 MHz Star low attenuation 1 dB ○ White 
5	2 811 69	BS secondary telephone sockets ○ White 	10	2 811 52	TV socket "F" type with screws SAT: 0-2400 MHz Star attenuation 1 dB ○ White 
5	2 811 61	Data sockets RJ 45 Cat. 5e UTP ○ White 	1	2 811 35	Shaver socket Conform to BS EN 61558-2-5 230 V / 120 V~ - 50/60 Hz. Dim.: 86 x 146 mm ○ White 
5	2 811 62	RJ 45 Cat. 6 UTP ○ White 	10	2 811 47	Cable outlets Conform to BS 5733 20 A ○ White 
5	2 811 64	Double RJ 45 Cat. 5e UTP ○ White 	5	2 811 48	45 A ○ White 
5	2 811 65	Double RJ 45 Cat. 6 UTP ○ White 			
5	2 811 66	Telephone and data sockets RJ 11 + RJ 45 sockets Cat. 5e UTP ○ White 			

Mallia™

British standard socket outlets - complete white




Polycarbonate front cover plates with a matt finish
Compact mechanism for greater wiring space
Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
10	2 811 10	Conform to BS 1363: Part 2 1 gang unswitched ○ White 
5	2 811 12	2 gang unswitched Dim.: 146 x 86 mm ○ White 
10	2 811 11	1 gang - single pole switched ○ White 
10	2 811 14	1 gang - single pole switched with red power indicator ○ White 
5	2 811 13	2 gang - single pole switched Dim.: 146 x 86 mm ○ White 
5	2 811 15	2 gang - single pole switched with red power indicator Dim.: 146 x 86 mm ○ White 
10	2 811 16	1 gang - double pole switched ○ White 
10	2 811 18	1 gang - double pole switched with red power indicator ○ White 
5	2 811 17	2 gang - double pole switched Dim.: 146 x 86 mm ○ White 
5	2 811 19	2 gang - double pole switched with red power indicator Dim.: 146 x 86 mm ○ White 

Pack	Cat.Nos	British standard socket outlets - 13 A - 250 V~ with USB charger
1	2 811 34	Conform to BS 1363-2 USB charger conform to IEC 60950-1 1 gang single pole switched USB Type-A 2.4 A - 5 V _{DC} - 12 W Consumption in passive mode < 0.08 W ○ White 
1	2 811 33	1 gang single pole unswitched USB Type-A 2.4 A - 5 V _{DC} - 12 W Consumption in passive mode < 0.08 W ○ White 
1	2 811 36	2 gang single pole switched USB Type-A + Type-C™ 3 A - 5 V _{DC} - 15 W Consumption in passive mode < 0.08 W ○ White 
Pack	Cat.Nos	British standard socket outlets 15 A - 250 V~
10	2 811 27	Conform to BS 546 1 gang unswitched ○ White 
10	2 811 28	1 gang switched ○ White 
10	2 811 29	1 gang switched, with red LED power indicator ○ White 

Mallia™ - British standard socket outlets and fused connection units - complete white



Polycarbonate front cover plates with a matt finish
Compact mechanism for greater wiring space
Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 5 A - 250 V~
10	2 811 31	Conform to BS 546 1 gang unswitched ○ White
10	2 811 32	1 gang switched ○ White
13 A fused connection units		
10	2 811 40	Conform to BS 1363: Part 4 Unswitched ○ White
10	2 811 41	Switched ○ White
10	2 811 42	Switched with red LED power indicator ○ White

Mallia™

Euro-US and German standard socket outlets - complete white



Polycarbonate front cover plates with a matt finish
Compact mechanism for greater wiring space
Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	Euro-US standard socket outlets 16 A - 250 V~
10	2 811 00	2P - 1 gang ○ White
10	2 811 01	2P - 1 gang + 10 A switch ○ White
10	2 811 02	2P - 2 gang (separated connection) ○ White
10	2 811 03	2P+E - 1 gang ○ White
10	2 811 04	2P+E - 2 gang ○ White
German standard socket outlet 16 A - 250 V~		
10	2 811 26	2P+E - 1 gang ○ White

Mallia™

BS 13 A socket outlets with USB charger

TWO IN ONE

Charge your mobile devices without the need for a bulky adaptor or blocking access to the power outlet. Just plug your USB cord right into the USB charging port – and run your other appliances as usual.



2.4 A - 5 V_{DC} - 12 W

FOR FUTURE-PROOF INSTALLATIONS



3 A - 5 V_{DC} - 15 W

- 2 gang socket outlets are equipped with Type-A and Type-C™ charging ports
- For future-proof installations that respond to growing connectivity requirements today – and tomorrow



Mallia™

multistandard and US standard socket outlets - complete white



2 811 22




2 811 23

Polycarbonate front cover plates with a matt finish
Compact mechanism for greater wiring space
Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	
10	2 811 20	Multistandard switched socket outlets 16 A - 250 V~ 15 A - 127 V 2P+E - 1 gang ○ White
10	2 811 22	2P+E - 2 gang ○ White
1	DEC 2017 2 811 21	Multistandard switched socket outlets 16 A - 250 V~ / 15 A - 127 V~ with USB charger USB charger conform to IEC 60950-1 2P+E - 1 gang USB Type-A 2.4 A - 5 V _{DC} - 12 W Consumption in passive mode < 0.08 W ○ White
1	DEC 2017 2 811 23	2 x 2P+E - 2 gang USB Type-A + Type-C™ 3 A - 5 V _{DC} - 15 W Consumption in passive mode < 0.08 W ○ White
10	2 811 05	US standard socket outlets 15 A - 127 V 2P+E - 1 gang ○ White
10	2 811 06	2P+E - 2 gang ○ White

Mallia™

modular socket - white



Polycarbonate front cover plates with a matt finish
Compact mechanism for greater wiring space
Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
Dim.: 146 x 86 mm

Pack	Cat.Nos	Socket outlet modular mechanism
5	2 818 58	To be equipped with 2-gang support frame and plates (p. 36) 1 gang switched - British standard - 13 A - 250 V~  ○ White

Mallia™

switches for hotels, downlighter - complete white



Polycarbonate front cover plates with a matt finish
Compact mechanism for greater wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
1	2 810 48	Key card switch - 15 A Time delay around 30 s  ○ White
10	2 810 45	Do not disturb / Occupied / Clean up Bell push-button  ○ White
10	2 810 46	Do not disturb / Clean up - 2 gang switch  ○ White
5	2 810 97	Downlighter Low output downlighter 230 V~ , with LED 2P+E - 1 gang  ○ White

Mallia™

single pole switches - customisable colours



2 838 00



2 830 02



2 820 04



2 830 12 + 2 819 98



2 834 16 + 2 819 97



Plate selection charts p. 36

Conform to BS EN 60669-1. Painted polycarbonate front cover
Compact mechanism for greater wiring space
Supplied with 2 screws M 3.5 for BS boxes. To be equipped with plates. Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~	
		1 gang - 1-way switch	
5	2 830 00	Silver	
5	2 832 00	Pearl	
5	2 834 00	Dark Silver	
5	2 838 00	Champagne	
5	2 820 00	Matt Black	
		1 gang - 2-way switch	
5	2 830 01	Silver	
5	2 832 01	Pearl	
5	2 834 01	Dark Silver	
5	2 838 01	Champagne	
5	2 820 01	Matt Black	
		1 gang - intermediate switch	
4	2 830 08	Silver	
4	2 832 08	Pearl	
4	2 834 08	Dark Silver	
4	2 838 08	Champagne	
4	2 820 08	Matt Black	
		2 gang - 1-way switch	
5	2 830 02	Silver	
5	2 832 02	Pearl	
5	2 834 02	Dark Silver	
5	2 838 02	Champagne	
5	2 820 02	Matt Black	
		2 gang - 2-way switch	
5	2 830 03	Silver	
5	2 832 03	Pearl	
5	2 834 03	Dark Silver	
5	2 838 03	Champagne	
5	2 820 03	Matt Black	
		3 gang - 1-way switch	
5	2 830 04	Silver	
5	2 832 04	Pearl	
5	2 834 04	Dark Silver	
5	2 838 04	Champagne	
5	2 820 04	Matt Black	
		3 gang - 2-way switch	
5	2 830 05	Silver	
5	2 832 05	Pearl	
5	2 834 05	Dark Silver	
5	2 838 05	Champagne	
5	2 820 05	Matt Black	
		4 gang - 1-way switch	
		Compatible with metal boxes only, for installation fold the vertical lugs of the boxes	
5	2 830 06	Silver	
5	2 832 06	Pearl	
5	2 834 06	Dark Silver	
5	2 838 06	Champagne	
5	2 820 06	Matt Black	
		4 gang - 2-way switch	
		Compatible with metal boxes only, for installation fold the vertical lugs of the boxes	
5	2 830 07	Silver	
5	2 832 07	Pearl	
5	2 834 07	Dark Silver	
5	2 838 07	Champagne	
5	2 820 07	Matt Black	

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~	
		Transparent phosphorescent lens To be equipped with green or red LED according to the need: indicator or locator (p. 35) The LED is not supplied	
		1 gang - 1-way switch	
5	2 830 10	Silver	
5	2 832 10	Pearl	
5	2 834 10	Dark Silver	
		1 gang - 2-way switch	
5	2 830 11	Silver	
5	2 832 11	Pearl	
5	2 834 11	Dark Silver	
		1 gang - intermediate switch	
4	2 830 09	Silver	
4	2 832 09	Pearl	
4	2 834 09	Dark Silver	
		2 gang - 1-way switch	
5	2 830 12	Silver	
5	2 832 12	Pearl	
5	2 834 12	Dark Silver	
		2 gang - 2-way switch	
5	2 830 13	Silver	
5	2 832 13	Pearl	
5	2 834 13	Dark Silver	
		3 gang - 1-way switch	
5	2 830 14	Silver	
5	2 832 14	Pearl	
5	2 834 14	Dark Silver	
		3 gang - 2-way switch	
5	2 830 15	Silver	
5	2 832 15	Pearl	
5	2 834 15	Dark Silver	
		4 gang - 1-way switch	
		Compatible with metal boxes only, for installation fold the vertical lugs of the boxes	
5	2 830 16	Silver	
5	2 832 16	Pearl	
5	2 834 16	Dark Silver	
		4 gang - 2-way switch	
		Compatible with metal boxes only, for installation fold the vertical lugs of the boxes	
5	2 830 17	Silver	
5	2 832 17	Pearl	
5	2 834 17	Dark Silver	



2 838 50



2 834 53



2 830 54



2 820 62



2 834 66



Plate selection charts p. 36

Conform to BS EN 60669-1. Painted polycarbonate front cover

Compact mechanism for greater wiring space

Supplied with 2 screws M 3.5 for BS boxes. To be equipped with plates. Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
5	2 830 50	1 gang - 1-way switch - Silver - Pearl - Dark Silver - Champagne - Matt Black
5	2 832 50	
5	2 834 50	
5	2 838 50	
5	2 820 50	
5	2 830 51	1 gang - 2-way switch - Silver - Pearl - Dark Silver - Champagne - Matt Black
5	2 832 51	
5	2 834 51	
5	2 838 51	
5	2 820 51	
4	2 830 69	1 gang - intermediate switch - Silver - Pearl - Dark Silver
4	2 832 69	
4	2 834 69	
5	2 830 52	2 gang - 1-way switch - Silver - Pearl - Dark Silver - Champagne - Matt Black
5	2 832 52	
5	2 834 52	
5	2 838 52	
5	2 820 52	
5	2 830 53	2 gang - 2-way switch - Silver - Pearl - Dark Silver - Champagne - Matt Black
5	2 832 53	
5	2 834 53	
5	2 838 53	
5	2 820 53	
5	2 830 54	3 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes
5	2 832 54	
5	2 834 54	
5	2 838 54	
5	2 820 54	
5	2 830 55	3 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes
5	2 832 55	
5	2 834 55	
5	2 838 55	
5	2 820 55	

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
5	2 830 60	1 gang - 1-way - Silver - Pearl - Dark Silver
5	2 832 60	
5	2 834 60	
5	2 830 61	1 gang - 1-way with LED power indicator - Silver - Pearl - Dark Silver - Champagne - Matt Black
5	2 832 61	
5	2 834 61	
5	2 838 61	
5	2 820 61	

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~ (continued)
5	2 830 62	1 gang - 1-way with LED power indicator and "WATER HEATER" marking - Silver - Pearl - Dark Silver - Champagne - Matt Black
5	2 832 62	
5	2 834 62	
5	2 838 62	
5	2 820 62	
5	2 830 65	2 gang - 1-way with LED power indicator - Silver - Pearl - Dark Silver
5	2 832 65	
5	2 834 65	
5	2 830 66	1 gang - 1-way with LED power indicator and cable outlet - Silver - Pearl - Dark Silver
5	2 832 66	
5	2 834 66	
5	2 830 68	1 gang - 2-way with "WATER HEATER" marking - Silver - Pearl - Dark Silver
5	2 832 68	
5	2 834 68	
5	2 830 71	Double pole switches 45 A - 250 V~ 1 gang - 1-way with red indicator - Silver - Pearl - Dark Silver - Champagne - Matt Black
5	2 832 71	
5	2 834 71	
5	2 838 71	
5	2 820 71	
5	2 830 72	1 gang - 1-way with red indicator and cooker marking - Silver - Pearl - Dark Silver
5	2 832 72	
5	2 834 72	
5	2 830 73	2 gang - 1-way vertical switch with red indicator Dim.: 86 x 146 mm Use special plates (p. 35)
5	2 832 73	
5	2 834 73	
5	2 838 73	
5	2 820 73	

Mallia™

push-buttons, dimmers, automatic switches and other lighting functions - customisable colours



2 830 84



2 838 86



2 817 75



2 834 90



Plate selection charts p. 36

Painted polycarbonate front cover. Compact mechanism for greater wiring space
Supplied with 2 screws M 3.5 for BS boxes. To be equipped with plates - Dim.: 86 x 86 mm

Pack	Cat.Nos	Push-buttons 10 A - 250 V~
		Conform to BS EN 60669-1
		N/O contact (push to make)
5	2 830 41	● Silver
5	2 832 41	● Pearl
5	2 834 41	● Dark Silver
5	2 838 41	● Champagne
5	2 820 41	● Matt Black
		N/O contact with bell symbol
5	2 830 40	● Silver
5	2 832 40	● Pearl
5	2 834 40	● Dark Silver
5	2 838 40	● Champagne
5	2 820 40	● Matt Black
		RLC + LED dimmer
		Rotary dimmer without neutral
		Conform to BS EN 60669-2-1
		100-240 V~ for all types of dimmable lamps:
		- dimmable LED: 5 to 75 W (10 lamps max.)
		- dimmable compact fluorescent lamps: 5 to 75 W (10 lamps max.)
		- fluorescent tube with ballast: 5 to 300 VA
		- halogen and incandescent: 5 to 300 W
		- electronic or ferromagnetic transformers: 5 to 300 VA
		When switched on, gradually (2 seconds) lights up at the level set before last switch off
1	2 830 86	● Silver
1	2 832 86	● Pearl
1	2 834 86	● Dark Silver
1	2 838 86	● Champagne
1	2 820 86	● Matt Black
		Active compensator
1	0 401 49	Allows to ensure compatibility of 2-wire electronic lighting controls without neutral with all available types of loads (LEDs, compact fluorescent lamps)
		ELV halogen lamps with electronic or conventional ballast, 230 V halogen lamps, fluorescent tubes, incandescent lamps)
		Consumption: 0.4 W
		Leading edge dimmers
		Conform to BS EN 60669-2-1
		Rotary control dimmer
		60-500 W for incandescent and halogen lamps
		230 V~. 60-500 VA ELV halogen lamps with ferromagnetic transformer and compensator
		Cat.No 0 401 39
1	2 830 80	● Silver
1	2 832 80	● Pearl
1	2 834 80	● Dark Silver
1	2 838 80	● Champagne
1	2 820 80	● Matt Black
		Rotary control dimmer + switch
		60-500 W for incandescent and halogen lamps
		230 V~. 60-200 VA ELV halogen lamps with ferromagnetic transformer and compensator
		Cat.No 0 401 39
1	2 830 84	● Silver
1	2 832 84	● Pearl
1	2 834 84	● Dark Silver

Pack	Cat.Nos	Leading edge dimmers (continued)
		Rotary dimmer
		60-1000 W (230 V) - 60-500 W (127 V) for incandescent and halogen lamps
		60-600 VA (230 V) 60-300 VA (127 V) for halogen lamps with electronic transformer with leading edge behaviour. 60-1000 VA (230 V) 60-500 W (127 V) for halogen lamps with ferromagnetic transformers
1	2 830 85	● Silver
1	2 832 85	● Pearl
1	2 834 85	● Dark Silver
		Programmable switches
		Conform to BS EN 60669-2-1
		Power supply: 230 V~ - 50/60 Hz
		Maximum load: 2300 W. Weekly programme
		Capacity: max. 28 programmes
		Output: 1 changeover contact
1	2 830 92	● Silver
1	2 832 92	● Pearl
1	2 834 92	● Dark Silver
		Time delay switches
		Conform to BS EN 60669-2-1
		Adjustable time from 5 min to 12 h. Maximum load:
		500 W incandescent and halogen lamps 230 V~
		250 W fluorescent lamps without capacitor
1	2 830 91	● Silver
1	2 832 91	● Pearl
1	2 834 91	● Dark Silver
		Fan speed controls
		Conform to BS EN 60669-2-1
		400 VA rotary fan controls
1	2 830 81	● Silver
1	2 832 81	● Pearl
1	2 834 81	● Dark Silver
		5-speed fan controls
		100 W for fan with overall diameter 48"
1	2 830 82	● Silver
1	2 832 82	● Pearl
1	2 834 82	● Dark Silver
		Cooker control units 45 A - 250 V~
		Supplied complete with plate. Conform to BS 4177
		45 A DP switch + 13 A switched socket outlet with red indicator. Dim.: 146 x 86 mm
5	2 812 75	● Silver
5	2 832 75	● Pearl
5	2 834 75	● Dark Silver
5	2 817 75	● Champagne
5	2 820 75	● Matt Black
		Automatic switches
		Conform to BS EN 60669-2-1 IR movement detector
		Horizontal detection angle 180°
		Luminosity threshold: 43 to 1614 lux
		Temporization: 20 s - 15 min. Detection range: max. 12 m. Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V~
1	2 830 90	● Silver
1	2 832 90	● Pearl
1	2 834 90	● Dark Silver



2 831 62



2 835 65



2 835 51



2 839 35


Plate selection charts **p. 36**

Painted polycarbonate front cover. Compact mechanism for greater wiring space.
Supplied with 2 screws M 3.5 for BS boxes. To be equipped with plates - Dim.: 86 x 86 mm

Pack	Cat.Nos	Telephone sockets
		RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector
5	2 831 60	Silver
5	2 833 60	Pearl
5	2 835 60	Dark Silver
5	2 839 60	Champagne
5	2 821 60	Matt Black
		Double RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector
5	2 831 63	Silver
5	2 833 63	Pearl
5	2 835 63	Dark Silver
		BS master telephone sockets
5	2 831 68	Silver
5	2 833 68	Pearl
5	2 835 68	Dark Silver
		BS secondary telephone sockets
5	2 831 69	Silver
5	2 833 69	Pearl
5	2 835 69	Dark Silver
		Data sockets
		RJ 45 Cat. 5e UTP
5	2 831 61	Silver
5	2 833 61	Pearl
5	2 835 61	Dark Silver
5	2 839 61	Champagne
5	2 821 61	Matt Black
		RJ 45 Cat. 6 UTP
5	2 831 62	Silver
5	2 833 62	Pearl
5	2 835 62	Dark Silver
5	2 839 62	Champagne
5	2 821 62	Matt Black
		Double RJ 45 Cat. 5e UTP
5	2 831 64	Silver
5	2 833 64	Pearl
5	2 835 64	Dark Silver
		Double RJ 45 Cat. 6 UTP
5	2 831 65	Silver
5	2 833 65	Pearl
5	2 835 65	Dark Silver
5	2 839 65	Champagne
5	2 821 65	Matt Black
		Telephone and data sockets
		RJ 11 + RJ 45 sockets Cat. 5e UTP
5	2 831 66	Silver
5	2 833 66	Pearl
5	2 835 66	Dark Silver

Pack	Cat.Nos	Television sockets
		For DVBT and satellite installation (with individual demodulator) Recommended coaxial cable 17 VATC
		TV-R-SAT sockets - star attenuation 1.5 dB TV: 5-68/120-862 MHz. R: 87.5-108 MHz SAT: 550-2400 MHz. TV: male connector (Ø9.5 mm)
5	2 831 57	Silver
5	2 833 57	Pearl
5	2 835 57	Dark Silver
5	2 839 57	Champagne
5	2 821 57	Matt Black
		TV-R sockets- star attenuation 1.5 dB TV: 5-68/120-862 MHz R: 87.5-108 MHz
5	2 831 53	Silver
5	2 833 53	Pearl
5	2 835 53	Dark Silver
		TV sockets - star attenuation 1.5 dB TV: 0-2400 MHz
5	2 831 51	Silver
5	2 833 51	Pearl
5	2 835 51	Dark Silver
5	2 839 51	Champagne
5	2 821 51	Matt Black
		TV sockets "F" type with screws-star attenuation 1.5 dB SAT: 0-2400 MHz
5	2 831 52	Silver
5	2 833 52	Pearl
5	2 835 52	Dark Silver
5	2 839 52	Champagne
5	2 821 52	Matt Black
		Shaver sockets Conform to BS EN 61558-2-5 230 V / 120 V~ - 50/60 Hz Dim.: 86 x 146 mm
1	2 831 35	Silver
1	2 833 35	Pearl
1	2 835 35	Dark Silver
1	2 839 35	Champagne
1	2 821 35	Matt Black
		Cable outlets Conform to BS 5733
		20 A
5	2 831 47	Silver
5	2 833 47	Pearl
5	2 835 47	Dark Silver
5	2 839 47	Champagne
5	2 821 47	Matt Black
		45 A - supplied complete with plate
5	2 831 48	Silver
5	2 833 48	Pearl
5	2 835 48	Dark Silver
5	2 839 48	Champagne

Mallia™

British standard socket outlets - customisable colours



2 839 13



2 817 18



2 821 34



2 831 33



2 821 28



Plate selection charts p. 36

Painted polycarbonate front cover. Compact mechanism for greater wiring space
Supplied with 2 screws. M 3.5 for BS boxes. All sockets integrate child protection. Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
		Conform to BS 1363: Part 2 To be equipped with plates (p. 36)
		1 gang unswitched
5	2 831 10	● Silver
5	2 833 10	● Pearl
5	2 835 10	● Dark Silver
5	2 839 10	● Champagne
5	2 821 10	● Matt Black
		2 gang unswitched - Dim.: 146 x 86 mm
5	2 831 12	● Silver
5	2 833 12	● Pearl
5	2 835 12	● Dark Silver
5	2 839 12	● Champagne
5	2 821 12	● Matt Black
		1 gang - single pole switched
5	2 831 11	● Silver
5	2 833 11	● Pearl
5	2 835 11	● Dark Silver
5	2 839 11	● Champagne
5	2 821 11	● Matt Black
		1 gang - single pole switched with red power indicator
5	2 831 14	● Silver
5	2 833 14	● Pearl
5	2 835 14	● Dark Silver
5	2 839 14	● Champagne
		2 gang - single pole switched - Dim.: 146 x 86 mm
5	2 831 13	● Silver
5	2 833 13	● Pearl
5	2 835 13	● Dark Silver
5	2 839 13	● Champagne
5	2 821 13	● Matt Black
		2 gang - single pole switched with red power indicator - Dim.: 146 x 86 mm
5	2 831 15	● Silver
5	2 833 15	● Pearl
5	2 835 15	● Dark Silver

Pack	Cat.Nos	British standard double pole socket outlets 13 A - 250 V~
		Supplied complete with plate
		1 gang - double pole switched
5	2 813 16	● Silver
5	2 816 16	● Pearl
5	2 817 16	● Dark Silver
5	2 818 16	● Champagne
5	2 821 16	● Matt Black
		1 gang - double pole switched with red power indicator
5	2 813 18	● Silver
5	2 816 18	● Pearl
5	2 817 18	● Dark Silver
5	2 818 18	● Champagne
		2 gang - double pole switched - Dim.: 146 x 86 mm
5	2 813 17	● Silver
5	2 816 17	● Pearl
5	2 817 17	● Dark Silver
5	2 818 17	● Champagne
5	2 821 17	● Matt Black

Pack	Cat.Nos	British standard double pole socket outlets 13 A - 250 V~ (continued)
		Supplied complete with plate
		2 gang - double pole switched with red power indicator - Dim.: 146 x 86 mm
5	2 813 19	● Silver
5	2 816 19	● Pearl
5	2 817 19	● Dark Silver
5	2 818 19	● Champagne
5	2 821 19	● Matt Black
		British standard socket outlets - 13 A - 250 V~ with USB charger
		Conform to BS 1363-2 USB charger conform to IEC 60950-1 Supplied complete with plates
		1 gang single pole switched
		USB Type-A 2.4 A - 5 V _{DC} - 12 W Consumption in passive mode < 0.08 W
1	2 831 34	● Silver
1	2 833 34	● Pearl
1	2 835 34	● Dark Silver
1	2 839 34	● Champagne
1	2 821 34	● Matt Black
		1 gang single pole unswitched
		USB Type-A 2.4 A - 5 V _{DC} - 12 W Consumption in passive mode < 0.08 W
1	2 831 33	● Silver
1	2 833 33	● Pearl
1	2 835 33	● Dark Silver
1	2 839 33	● Champagne
		2 gang single pole switched
		USB Type-A + Type-C™ 3 A - 5 V _{DC} - 15 W Consumption in passive mode < 0.08 W
1	2 831 36	● Silver
1	2 833 36	● Pearl
1	2 835 36	● Dark Silver
1	2 839 36	● Champagne
1	2 821 36	● Matt Black

Pack	Cat.Nos	British standard socket outlets 15 A - 250 V~
		Conform to BS 546 To be equipped with plates (p. 36)
		1 gang unswitched
5	2 831 27	● Silver
5	2 833 27	● Pearl
5	2 835 27	● Dark Silver
		1 gang switched
5	2 831 28	● Silver
5	2 833 28	● Pearl
5	2 835 28	● Dark Silver
5	2 839 28	● Champagne
5	2 821 28	● Matt Black
		1 gang switched, with red LED power indicator
5	2 831 29	● Silver
5	2 833 29	● Pearl
5	2 835 29	● Dark Silver

Mallia™ - British standard socket outlets and fused connection units - customisable colours



2 833 42

Plate selection charts **p. 36**

Painted polycarbonate front cover
Compact mechanism for greater wiring space
Supplied with 2 screws. M 3.5 for BS boxes
All sockets integrate child protection
To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 5 A - 250 V~	
		Conform to BS 546	
		1 gang unswitched	
5	2 831 31	Silver	
5	2 833 31	Pearl	
5	2 835 31	Dark Silver	
		1 gang switched	
5	2 831 32	Silver	
5	2 833 32	Pearl	
5	2 835 32	Dark Silver	
5	2 839 32	Champagne	
5	2 821 32	Matt Black	
		13 A fused connection units	
		Conform to BS 1363: Part 4	
		Unswitched	
5	2 831 40	Silver	
5	2 833 40	Pearl	
5	2 835 40	Dark Silver	
5	2 839 40	Champagne	
5	2 821 40	Matt Black	
		Switched	
5	2 831 41	Silver	
5	2 833 41	Pearl	
5	2 835 41	Dark Silver	
		Switched with red LED power indicator	
5	2 831 42	Silver	
5	2 833 42	Pearl	
5	2 835 42	Dark Silver	
5	2 839 42	Champagne	

Mallia™ - Euro-US and German standard socket outlets customisable colours



2 835 02

Plate selection charts **p. 36**

Painted polycarbonate front cover
Compact mechanism for greater wiring space
Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	Euro-US standard socket outlets 16 A - 250 V~	
		2P - 1 gang	
5	2 831 00	Silver	
5	2 833 00	Pearl	
5	2 835 00	Dark Silver	
		2P - 1 gang + 10 A switch	
5	2 831 01	Silver	
5	2 833 01	Pearl	
5	2 835 01	Dark Silver	
		2P - 2 gang (separated connection)	
5	2 831 02	Silver	
5	2 833 02	Pearl	
5	2 835 02	Dark Silver	
		2P+E - 1 gang	
5	2 831 03	Silver	
5	2 833 03	Pearl	
5	2 835 03	Dark Silver	
		2P+E - 2 gang	
5	2 831 04	Silver	
5	2 833 04	Pearl	
5	2 835 04	Dark Silver	
		German standard socket outlets 16 A - 250 V~	
		2P+E - 1 gang	
5	2 831 26	Silver	
5	2 833 26	Pearl	
5	2 835 26	Dark Silver	

Mallia™

multistandard and US standard socket outlets - customisable colours



2 839 22




Plate selection charts p. 36

Painted polycarbonate front cover. Compact mechanism for greater wiring space. Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
Dim.: 86 x 86 mm

Pack	Cat.Nos	
		Multistandard switched socket outlets - 16 A - 250 V / 15 A - 127 V
		To be equipped with plates
		2P+E - 1 gang
5	2 831 20	Silver
5	2 833 20	Pearl
5	2 835 20	Dark Silver
5	2 839 20	Champagne
5	2 821 20	Matt Black
		2P+E - 2 gang
4	2 831 22	Silver
4	2 833 22	Pearl
4	2 835 22	Dark Silver
4	2 839 22	Champagne
4	2 821 22	Matt Black
		Multistandard switched socket outlets 16 A - 250 V~ / 15 A - 127 V~ with USB charger
		USB charger conform to IEC 60950-1 Supplied complete with plates
		2P+E - 1 gang
		USB Type-A 2.4 A - 5 V= - 12 W Consumption in passive mode < 0.08 W
1	2 831 21	Silver
1	2 833 21	Pearl
1	2 835 21	Dark Silver
1	2 839 21	Champagne
1	2 821 21	Matt Black
		2 x 2P+E - 2 gang
		USB Type-A + Type-C™ 3 A - 5 V= - 15 W Consumption in passive mode < 0.08 W
1	2 831 23	Silver
1	2 833 23	Pearl
1	2 835 23	Dark Silver
1	2 839 23	Champagne
1	2 821 23	Matt Black
		US standard socket outlets 15 A - 127 V - SASO
		To be equipped with plates
		2P+E - 1 gang
5	2 831 05	Silver
5	2 833 05	Pearl
5	2 835 05	Dark Silver
		2P+E - 2 gang
5	2 831 06	Silver
5	2 833 06	Pearl
5	2 835 06	Dark Silver

Mallia™

modular socket outlets - customisable colours



2 818 59

2 819 31



Plate selection charts p. 36

Painted polycarbonate front cover

Pack	Cat.Nos	
		Modular socket outlets
		Compact mechanism for greater wiring space Supplied with 2 screws M 3.5 for BS boxes All sockets integrate child protection To be equipped with 2-gang support frames and plates Dim.: 146 x 86 mm
		1 gang switched - British standard - 13 A - 250 V~
5	2 818 59	Silver
5	2 818 78	Pearl
5	2 818 79	Dark Silver
		Support frames and plates - for modular socket outlets
		2 gang plastic
		Supplied with fixing screws
5	2 819 30	White
5	2 819 31	Silver
5	2 819 32	Champagne
5	2 819 33	Pearl
5	2 819 34	Dark Silver
5	2 819 46	Brass
5	2 819 47	Bronze
5	2 819 48	Matt Black
5	2 819 49	Copper
		2 gang metal
		Supplied with fixing screws
1	2 819 20	Brushed Stainless Steel
1	2 819 21	Gold
1	2 819 22	Polished Stainless Steel
1	2 819 23	Lacquered Black

Dedicated hotel functions

Create a positive guest experience

Besides switches, sockets, A/V sockets and sockets with USB charger, Mallia also offers specific functions for the guest room. They enhance the in-room comfort for the guest and contribute to making work easier for the hotel staff.



- The "Do not Disturb/ Please make up room" control unit allows guests to preserve quiet if they wish to - at the push of a button




- Mounted outside the guest room, the external unit notifies staff to "Make up room" or "Do not Disturb"



- The key card switch allows to power the room, and to disable devices when the customer is absent, thereby contributing to energy saving



- Shaver socket – convenient, as it can be used with European, British, American or Australian 2-pin plugs



2 838 45



2 834 97



Plate selection charts p. 36

Painted polycarbonate front cover
Compact mechanism for greater wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates
Dim.: 86 x 86 mm

Switches for hotels - 230 V~

Pack	Cat.Nos	
1	2 830 48	Key card switches - 15 A Time delay around 30 s ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
1	2 832 48	
1	2 834 48	
1	2 838 48	
1	2 820 48	
5	2 830 45	Do not disturb / Occupied / Clean up Bell push-buttons ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 45	
5	2 834 45	
5	2 838 45	
5	2 820 45	
5	2 830 46	Do not disturb / Clean up - 2 gang switches ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 46	
5	2 834 46	
5	2 838 46	
5	2 820 46	

Downlighters

Pack	Cat.Nos	
5	2 830 97	Low output downlighters 230 V~ , with LED ● Silver ● Pearl ● Dark Silver
5	2 832 97	
5	2 834 97	

Mallia™

plates, blanking plates, Arteor adaptors and accessories - customisable colours



Plate selection charts p. 36

Pack	Cat.Nos	Plates
10	2 819 00	1 gang - plastic ○ White ● Silver ● Champagne ● Pearl ● Dark Silver ● Brass ● Bronze ● Matt Black ● Copper
10	2 819 05	
10	2 819 10	
10	2 819 50	
10	2 819 55	
10	2 819 60	
10	2 819 65	
10	2 819 70	
10	2 819 75	
10	2 819 75	
1	2 819 78	1 gang - metal ● Brushed Stainless Steel ● Gold ● Polished Stainless Steel ● Lacquered Black
1	2 819 82	
1	2 819 86	
1	2 819 90	
5	2 819 01	2 x 1 gang - plastic ○ White ● Silver ● Champagne ● Pearl ● Dark Silver ● Brass ● Bronze ● Matt Black ● Copper
5	2 819 06	
5	2 819 11	
5	2 819 51	
5	2 819 56	
5	2 819 61	
5	2 819 66	
5	2 819 71	
5	2 819 76	
1	2 819 79	2 x 1 gang - metal ● Brushed Stainless Steel ● Gold ● Polished Stainless Steel ● Lacquered Black
1	2 819 83	
1	2 819 87	
1	2 819 91	
5	2 819 02	2 gang - Vertical For 2 gang vertical DP switch 45 A (p. 28) ○ White ● Silver ● Champagne ● Pearl ● Dark Silver ● Brass ● Bronze ● Matt Black ● Copper ● Brushed Stainless Steel ● Gold ● Polished Stainless Steel ● Lacquered Black
5	2 819 07	
5	2 819 12	
5	2 819 52	
5	2 819 57	
5	2 819 62	
5	2 819 67	
5	2 819 72	
5	2 819 77	
1	2 819 80	
1	2 819 84	
1	2 819 88	
1	2 819 92	

Pack	Cat.Nos	Blanking plates
10	2 811 90	1 gang ○ White - Supplied with plate ● Silver - Not supplied with plate ● Pearl - Not supplied with plate ● Dark Silver - Not supplied with plate ● Champagne - Not supplied with plate ● Matt Black - Not supplied with plate
10	2 831 90	
10	2 833 90	
10	2 835 90	
10	2 818 90	
10	2 821 90	
5	2 811 91	2 gang ○ White - Supplied with plate ● Silver - Not supplied with plate ● Pearl - Not supplied with plate ● Dark Silver - Not supplied with plate
5	2 831 91	
5	2 833 91	
5	2 835 91	

Pack	Cat.Nos	Mosaic-Arteor adaptors
5	2 811 92	1 gang ○ White - Supplied with plate ● Silver - Not supplied with plate ● Pearl - Not supplied with plate ● Dark Silver - Not supplied with plate ● Champagne - Not supplied with plate ● Matt Black - Not supplied with plate
5	2 831 92	
5	2 833 92	
5	2 835 92	
5	2 818 92	
5	2 821 92	
5	2 811 93	2 gang ○ White - Supplied with plate ● Silver - Not supplied with plate ● Pearl - Not supplied with plate ● Dark Silver - Not supplied with plate
5	2 831 93	
5	2 833 93	
5	2 835 93	

Pack	Cat.Nos	Transparent rockers with label holders for switches
5	2 818 95	Can be used instead of the standard rocker plates Supplied with white labels 1 gang
5	2 818 96	2 gang
5	2 818 97	3 gang

Pack	Cat.Nos	Lamps
10	2 819 97	LED 220 V, green low consumption For locator use
10	2 819 98	LED 220 V, red - high luminosity For indicator use

PLATES			 PLATES		 SUPPORT FRAMES AND PLATES FOR MODULAR SOCKET OUTLETS
		1 gang	2 x 1 gang	2 gang	2 gang
White		2 819 00	2 819 01	2 819 02	2 819 30
Silver		2 819 05	2 819 06	2 819 07	2 819 31
Champagne		2 819 10	2 819 11	2 819 12	2 819 32
Pearl		2 819 50	2 819 51	2 819 52	2 819 33
Dark Silver		2 819 55	2 819 56	2 819 57	2 819 34
Brass		2 819 60	2 819 61	2 819 62	2 819 46
Bronze		2 819 65	2 819 66	2 819 67	2 819 47
Matt Black		2 819 70	2 819 71	2 819 72	2 819 48
Copper		2 819 75	2 819 76	2 819 77	2 819 49
Metal Brushed Stainless Steel		2 819 78	2 819 79	2 819 80	2 819 20
Metal Gold		2 819 82	2 819 83	2 819 84	2 819 21
Metal Polished Stainless Steel		2 819 86	2 819 87	2 819 88	2 819 22
Metal Lacquered Black		2 819 90	2 819 91	2 819 92	2 819 23
PLATES			 BLANKING PLATES		 MOSAIC-ARTEOR ADAPTORS
		1 gang	2 x 1 gang	1 gang	2 gang
White		2 811 90 ⁽¹⁾	2 811 91 ⁽¹⁾	2 811 92 ⁽¹⁾	2 811 93 ⁽¹⁾
Silver		2 831 90 ⁽²⁾	2 831 91 ⁽²⁾	2 831 92 ⁽²⁾	2 831 93 ⁽²⁾
Pearl		2 833 90 ⁽²⁾	2 833 91 ⁽²⁾	2 833 92 ⁽²⁾	2 833 93 ⁽²⁾
Dark Silver		2 835 90 ⁽²⁾	2 835 91 ⁽²⁾	2 835 92 ⁽²⁾	2 835 93 ⁽²⁾
Champagne 		2 818 90 ⁽²⁾	-	2 818 92 ⁽²⁾	-
Matt Black 		2 821 90 ⁽²⁾	-	2 821 92 ⁽²⁾	-

1 : Supplied with plate
2 : Not supplied with plate

Catalogue number index

Cat.Nos	Pack	Page no	Cat.Nos	Pack	Page no	Cat.Nos	Pack	Page no	Cat.Nos	Pack	Page no	Cat.Nos	Pack	Page no	Cat.Nos	Pack	Page no
0 401 49			2811 13	5	23	2 818 17	5	31	2819 98	10	35	2830 07	5	27	2 831 33	1	31
0 401 49	1	21	14	10	23	18	5	31	2 820 00			08	4	27	34	1	31
2 810 00			15	5	23	19	5	31	2 820 00			09	4	27	35	1	30
2810 00	10	19	16	10	23	58	5	26	2 820 00	5	27	10	5	27	36	1	31
01	10	19	17	5	23	59	5	33	01	5	27	11	5	27	40	5	32
02	10	19	18	10	23	78	5	33	02	5	27	12	5	27	41	5	32
03	10	19	19	5	23	79	5	33	03	5	27	13	5	27	42	5	32
04	10	19	20	10	25	90	10	35	04	5	27	14	5	27	47	5	30
05	10	19	21	1	25	92	5	35	05	5	27	15	5	27	48	5	30
06	10	19	22	10	25	95	5	35	06	5	27	16	5	27	51	5	30
07	10	19	23	1	25	96	5	35	07	5	27	17	5	27	52	5	30
08	4	19	26	10	24	97	5	35	08	5	27	40	5	29	53	5	30
09	4	19	27	10	23	2 819 00			40	5	29	41	5	29	57	5	30
10	10	19	28	10	23	2819 00	10	35	41	5	29	45	5	34	60	5	30
11	10	19	29	10	23	01	5	35	45	5	34	46	5	34	61	5	30
12	10	19	31	10	24	02	5	35	46	5	34	48	1	34	62	5	30
13	10	19	32	10	24	05	10	35	48	1	34	50	5	28	63	5	30
14	10	19	33	1	23	06	5	35	50	5	28	51	5	28	64	5	30
15	10	19	34	1	23	07	5	35	51	5	28	52	5	28	65	5	30
16	10	19	35	1	22	10	10	35	52	5	28	53	5	28	66	5	30
17	10	19	36	1	23	11	5	35	53	5	28	54	5	28	68	5	30
40	10	21	40	10	24	12	5	35	54	5	28	55	5	28	69	5	30
41	10	21	41	10	24	20	1	33	55	5	28	60	5	28	90	10	35
45	10	26	42	10	24	21	1	33	61	5	28	61	5	28	91	5	35
46	10	26	47	10	22	22	1	33	62	5	28	62	5	28	92	5	35
48	1	26	48	5	22	23	1	33	71	5	28	65	5	28	93	5	35
50	10	20	51	10	22	30	5	33	73	5	28	66	5	28	2 832 00		
51	10	20	52	10	22	31	5	33	75	5	29	68	5	28	2832 00	5	27
52	10	20	53	5	22	32	5	33	80	1	29	69	4	28	01	5	27
53	10	20	57	5	22	33	5	33	86	1	29	71	5	28	02	5	27
54	10	20	60	5	22	34	5	33	2 821 00			72	5	28	03	5	27
55	10	20	61	5	22	46	5	33	2 821 10	5	31	73	5	28	04	5	27
60	10	20	62	5	22	47	5	33	11	5	31	80	1	29	05	5	27
61	10	20	63	5	22	48	5	33	12	5	31	81	1	29	06	5	27
62	10	20	64	5	22	49	5	33	13	5	31	82	1	29	07	5	27
65	10	20	65	5	22	50	10	35	16	5	31	84	1	29	08	4	27
66	10	20	66	5	22	51	5	35	17	5	31	85	1	29	09	4	27
68	10	20	68	5	22	52	5	35	19	5	31	86	1	29	10	5	27
69	5	22	69	5	22	55	10	35	20	5	33	90	1	29	11	5	27
90	10	35	90	10	35	56	5	35	21	1	33	91	1	29	12	5	27
91	5	35	91	5	35	57	5	35	22	4	33	92	1	29	13	5	27
92	5	35	92	5	35	60	10	35	23	1	33	97	5	34	14	5	27
93	5	35	93	5	35	61	5	35	28	5	31	2 831 00			15	5	27
2 812 00			2 812 75			62	5	35	32	5	32	2831 00	5	32	16	5	27
2 813 00			2 813 16			65	10	35	34	1	31	01	5	32	17	5	27
2 816 00			2 816 16			66	5	35	35	1	30	02	5	32	40	5	29
2 817 00			2 817 16			67	5	35	36	1	31	03	5	32	41	5	29
2 818 00			2 818 16			70	10	35	40	5	32	04	5	32	45	5	34
2 818 16			2 818 16			71	5	35	47	5	30	05	5	33	46	5	34
2 818 16			2 818 16			72	5	35	51	5	30	06	5	33	48	1	34
2 818 16			2 818 16			75	10	35	52	5	30	10	5	31	50	5	28
2 818 16			2 818 16			76	5	35	57	5	30	11	5	31	51	5	28
2 818 16			2 818 16			77	5	35	60	5	30	12	5	31	52	5	28
2 818 16			2 818 16			78	1	35	61	5	30	13	5	31	53	5	28
2 818 16			2 818 16			79	1	35	62	5	30	14	5	31	54	5	28
2 818 16			2 818 16			80	1	35	65	5	30	15	5	31	55	5	28
2 818 16			2 818 16			82	1	35	90	10	35	20	5	33	60	5	28
2 818 16			2 818 16			83	1	35	92	5	35	21	1	33	61	5	28
2 818 16			2 818 16			84	1	35	2 830 00			22	4	33	62	5	28
2 818 16			2 818 16			86	1	35	2830 00	5	27	23	1	33	65	5	28
2 818 16			2 818 16			87	1	35	01	5	27	26	5	32	66	5	28
2 818 16			2 818 16			88	1	35	02	5	27	27	5	31	68	5	28
2 818 16			2 818 16			90	1	35	03	5	27	28	5	31	69	4	28
2 818 16			2 818 16			91	1	35	04	5	27	29	5	31	71	5	28
2 818 16			2 818 16			92	1	35	05	5	27	31	5	32	72	5	28
2 818 16			2 818 16			97	10	35	06	5	27	32	5	32	73	5	28

Catalogue number index (continued)

Cat.Nos	Pack	Page no	Cat.Nos	Pack	Page no	Cat.Nos	Pack	Page no	Cat.Nos	Pack	Page no	Cat.Nos	Pack	Page no	Cat.Nos	Pack	Page no
283275	5	29	283340	5	32	283416	5	27	283504	5	32	283569	5	30	283920	5	33
80	1	29	41	5	32	17	5	27	05	5	33	90	10	35	21	1	33
81	1	29	42	5	32	40	5	29	06	5	33	91	5	35	22	4	33
82	1	29	47	5	30	41	5	29	10	5	31	92	5	35	23	1	33
84	1	29	48	5	30	45	5	34	11	5	31	93	5	35	28	5	31
85	1	29	51	5	30	46	5	34	12	5	31	2 838 00			32	5	32
86	1	29	52	5	30	48	1	34	13	5	31	283800	5	27	33	1	31
90	1	29	53	5	30	50	5	28	14	5	31	01	5	27	34	1	31
91	1	29	57	5	30	51	5	28	15	5	31	02	5	27	35	1	30
92	1	29	60	5	30	52	5	28	20	5	33	03	5	27	36	1	31
97	5	34	61	5	30	53	5	28	21	1	33	04	5	27	40	5	32
2 833 00			62	5	30	54	5	28	22	4	33	05	5	27	42	5	32
283300	5	32	63	5	30	55	5	28	23	1	33	06	5	27	47	5	30
01	5	32	64	5	30	60	5	28	26	5	32	07	5	27	48	5	30
02	5	32	65	5	30	61	5	28	27	5	31	08	4	27	51	5	30
03	5	32	66	5	30	62	5	28	28	5	31	40	5	29	52	5	30
04	5	32	68	5	30	65	5	28	29	5	31	41	5	29	57	5	30
05	5	33	69	5	30	66	5	28	31	5	32	45	5	34	60	5	30
06	5	33	90	10	35	68	5	28	32	5	32	46	5	34	61	5	30
10	5	31	91	5	35	69	4	28	33	1	31	48	1	34	62	5	30
11	5	31	92	5	35	71	5	28	34	1	31	50	5	28	65	5	30
12	5	31	93	5	35	72	5	28	35	1	30	51	5	28			
13	5	31	2 834 00			73	5	28	36	1	31	52	5	28			
14	5	31	283400	5	27	75	5	29	40	5	32	53	5	28			
15	5	31	01	5	27	80	1	29	41	5	32	54	5	28			
20	5	33	02	5	27	81	1	29	42	5	32	55	5	28			
21	1	33	03	5	27	82	1	29	47	5	30	61	5	28			
22	4	33	04	5	27	84	1	29	48	5	30	62	5	28			
23	1	33	05	5	27	85	1	29	51	5	30	71	5	28			
26	5	32	06	5	27	86	1	29	52	5	30	73	5	28			
27	5	31	07	5	27	90	1	29	53	5	30	80	1	29			
28	5	31	08	4	27	91	1	29	57	5	30	86	1	29			
29	5	31	09	4	27	92	1	29	60	5	30	2 839 00					
31	5	32	10	5	27	97	5	34	61	5	30	283910	5	31			
32	5	32	11	5	27	2 835 00			62	5	30	11	5	31			
33	1	31	12	5	27	283500	5	32	63	5	30	12	5	31			
34	1	31	13	5	27	01	5	32	64	5	30	13	5	31			
35	1	30	14	5	27	02	5	32	65	5	30	14	5	31			
36	1	31	15	5	27	03	5	32	66	5	30						
									68	5	30						



FOLLOW US ALSO ON

@ www.legrand.com

 www.youtube.com/user/legrand

 twitter.com/legrand

 pinterest.com/legrandgroup



Headquarters
and International Department
87045 Limoges Cedex - France
Tel. + 33 (0) 5 55 06 87 87
Fax + 33 (0) 5 55 06 74 55